REVISION: 01



Product Safety Data Sheet – Struc-Acryl Acrylic Topcoat

Classification according to Regulation (EC) No 1272/2008

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 IDENTIFICATION OF THE SUBSTANCE OR PREPARATION

Product Name: Struc-Acryl Acrylic Topcoat

1.2 USE OF SUBSTANCE/PREPARATION

Synthetic resin plaster for application onto external substrates; available in a wide range of colours.

1.3 COMPANY/UNDERTAKING IDENTIFICATION

Structherm Limited Bent Ley Road Meltham Holmfirth HD9 4AP

Emergency Telephone:

UK Emergency Number 999 European Emergency Number 112

2. HAZARDS IDENTIFICATION

Classification according to Regulation (EC) No1272/2008

Hazard Statement(s) None

Precautionary Statements

P102 Keep out of reach of children

P280 Wear protective gloves/protective clothing/Eye

protection

3. COMPOSITION / INFORMATION ON INGREDIENTS

A water based product containing, acrylic resin emulsion with a range of mineral fillers and other additives.



4. FIRST AID MEASURES

4.1



If contacting a physician, take this product safety data sheet with you.

4.2



After Skin Contact

Wash exposed area with soap and water. Remove contaminated clothing. Get medical advice if irritation occurs

4.3



After Significant Ingestion

Rinse mouth and give plenty of water to drink, seek medical advice if symptoms persist.

4.4



After Significant Inhalation

Remove from source to fresh air. In case of sickness seek medical advice.

4.5



After Contact With Eyes

Wash thoroughly with clean water, get specialist medical advice if irritation persists.

5. FIRE FIGHTING MEASURES

5.1 FLAMMABILITY

The wet paste will not burn; the dry film is not flammable

5.2 FIRE FIGHTING MEDIA

Water, spray jet, extinguishing powder, CO2, foam. Use most appropriate measure or media to extinguish surrounding fire.

5.3 EXPLOSION

Not considered to be an explosion hazard

5.4 COMBUSTION PRODUCTS

In case of fire toxic incineration products may be released such as Carbon Monoxide (CO) and Nitrogen Oxides (NOx)

5.5 SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS

Wear self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS

Wear protective clothing to avoid contact with skin.



6.2 ENVIRONMENTAL PRECAUTIONS

Prevent from spreading; do not allow product to reach surface water.

6.3 METHODS FOR CLEANING UP

Spillages should be mixed with absorbent material and collected mechanically. Dispose of according to local regulations.

7. HANDLING AND STORAGE

7.1 HANDLING

Ensure adequate ventilation.

Do not contaminate foodstuffs, eating utensils or food contact surfaces

Wash hands and exposed skin before meals and after use.

7.2 STORAGE

Keep in a safe place.

Keep in original packaging.

Keep in a cool, well ventilated area.

Protect from frost.

7.3 SPECIFIC USES

Always read the label and product information before use.

Keep away from treated surfaces until dry.

8. EXPOSURE CONTROLS

8.1 EXPOSURE LIMIT VALUES

None documented

8.2 EXPOSURE CONTROLS

8.2.1



General

Avoid contact with skin and eyes. Wear personal protective equipment and wash exposed skin and face after use.

REVISION: 01



8.2.2



Respiratory Protection

Ensure adequate ventilation

8.2.3



Hand Protection

Avoid contact with hands. Wash hands during work breaks and at the end of the shift.

8.2.4



Eye Protection

Avoid contact with the eyes

8.2.5



Skin Protection

Avoid contact with skin

8.2.6

Environmental Exposure Controls

Prevent release to the environment. Follow best practice for site management and disposal of waste

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 GENERAL INFORMATION

Appearance Paste, Various colours

Odour Faint

9.2 IMPORTANT HEALH, SAFETY AND ENVIRONMENTAL INFORMATION

pH 8.0 to 10.0
Boiling Point 100 oC (water)
Flash point Not tested

Flammability Explosive propertiesThe product is not self-igniting
The product is not explosive

Oxidising properties Not applicable Vapour pressure Not tested

Relative Density 1.8

Solubility Miscible in water

Water Solubility Partially soluble in water

Viscosity Not tested Vapour density Not tested

REVISION: 01



Evaporation ratePartition coefficient:
Not tested

9.3 OTHER INFORMATION

Melting Point 0°C (water)

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions of use and storage.

10.1 CONDITIONS TO AVOID

The product is stable in normal use; it should not be mixed or diluted with other chemicals. When heated in excess of 580oC Calcium Oxide may be formed.

10.2 MATERIALS TO AVOID

None

10.3 HAZARDOUS DECOMPOSITION PRODUCTS

None if storage and handling is carried out as specified.

11. TOXILOGICAL DATA

Acute toxicity: No recorded information; the product is classified as non hazardous.

12. ECOLOGICAL DATA

Ecotoxicity No recorded information; the product is not classified as

hazardous to the environment. Prevent contamination of

soil, drains and surface water.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations

14. TRANSPORT REGULATIONS

Not classified as hazardous for air, sea or road freight.

15. REGULATORY INFORMATION 15.1 CLASSIFICATION

Product name: Struc-Acryl

Classification according to Regulation (EC) No 1272/2008: Non hazardous

REVISION: 01



16. OTHER INFORMATION

16.1 PRECAUTIONARY STATEMENTS

Precautionary statements P102 Keep out of reach of children

P280 Wear protective gloves/protective clothing/eye

protection

16.2 FURTHER INFORMATION

For technical advice contact technical team: Tel: 01484 850098

email: info@structherm.co.uk web: www.structherm.co.uk

16.3 GUIDANCE AND REFERENCE

Classification according to Regulation (EC) No 1272/2008

This data sheet is supplementary to other technical instruction and guidance and does not replace them. This information is based on data currently available and is correct to the best of our knowledge at the time of publication. This information is given as guidance in assessing safe handling, storage, and use. Recipients of the product must take responsibility for the safe use and disposal of product observing existing laws, regulations and accepted best working practice.