REVISION: 01



Product Safety Data Sheet – Structherm Dash Receiver

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 IDENTIFICATION OF THE SUBSTANCE OR PREPARATION

Product Range: Structherm Dash Receiver

1.2 USE OF SUBSTANCE/PREPARATION

Material used in the construction industry

1.3 COMPANY/UNDERTAKING IDENTIFICATION

Structherm Limited Bent Ley Road Meltham Holmfirth HD9 4AP

Emergency Telephone:

UK Emergency Number 999

European Emergency Number 112

2. HAZARDS IDENTIFICATION

Classification according to Regulation (EC) No1272/2008

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE CLASSIFICATION UNDER CLP:

STOT SE 3: H335; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1B: H317

MOST IMPORTANT ADVERSE EFFECTS:

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

2.2 LABEL ELEMENTS

HAZARD STATEMENTS: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.H318: Causes serious eye damage.H335: May cause respiratory irritation.

HAZARD PICTOGRAMS: GHS05: Corrosion

GHS07: Exclamation mark





Signal Word: Danger

REVISION: 01



Precautionary Statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: wash with plenty of soap and water .

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor

P362+P364 Take off contaminated clothing and wash before reuse.

This product is not identified as a PBT/vPvB substance

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients

PORTLAND CEMENT

EINECS	CAS	PBT/WEL	CLP CLASSIFICATION	PRECENT
266-043-4	65997-15-1	-	Skin Irrit. 2: H315; Skin Sens. 1A: H317; Eye Dam. 1: H318; STOT SE 3: H335	10-30%

HYDRATED LIME - REACH Registered number(s) 01-2119475151-45-0135

EINECS	CAS	PBT/WEL	CLP CLASSIFICATION	PRECENT
215-137-3	1305-62-0	-	STOT SE 3: H335; Skin Irrit. 2: H315; Eye Dam. 1: H318	1-10%

Non-classified ingredients: QUARTZ (RESPIRABLE)

EINECS	CAS	PBT/WEL	CLP CLASSIFICATION	PRECENT
238-878-4	01808-60-7	-	STOT RE 1: H372	<1%

REVISION: 01



4. FIRST AID MEASURES

4.1

If contacting a physician, take this product safety data sheet with you.

4.2



After Skin Contact

Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues

4.3



After Significant Ingestion

Wash out mouth with plenty of water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor

4.4

4.5



After Significant Inhalation

Remove casualty from exposure ensuring one's own safety whilst doing so. If symptoms develop, seek medical attention.

After Contact With Eyes

_ © + T Bathe the eye with running water for 15 minutes. Do not rub eyes, as additional cornea damage is possible by mechanical stress. Contact a specialist of occupational medicine or an eye specialist.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Skin Contact: There may be irritation and redness at the site of contact

Eye Contact: There may be pain and redness. The eyes may water profusely. There

may be severe pain. The vision may become blurred. May cause

permanent damage

Ingestion: There may be soreness and redness of the mouth and throat. Nausea

and stomach pain may occur

Inhalation: Exposure may cause coughing or wheezing

Delayed/Immediate effects: Immediate effects can be expected after short-term exposure

INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Immediate/Special Treatment: Eye bathing equipment should be available on the

premises

REVISION: 01



5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

In combustion emits toxic fumes.

5.3 ADVICE FOR FIREFIGHTERS

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS

Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not attempt to take action without suitable protective clothing – see section 8. Do not create dust

6.2 ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains or rivers.

6.3 METHODS FOR CLEANING UP

Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

7.1 HANDLING

Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area Avoid the formation or spread of dust in the air

7.2 STORAGE

Store in a cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS

8.1 EXPOSURE LIMIT VALUES

PORTLAND CEMENT

State	8 hour TWA	15 min STEL	8 hour TWA	15 min STEL
EU	-	-	4mg/m³	-

REVISION: 01



HYDRATED LIME

State	8 hour TWA	15 min STEL	8 hour TWA	15 min STEL
EU	1mg/m³	4mg/m ³	-	-

DNEL/PNEC VALUES

Hazardous ingredients: HYDRATED LIME:

TYPE	EXPOSURE	VALUE	POPULATION	EFFECT
PNEC	Fresh water	490µg/L	-	-
PNEC	Soil (Agricultural)	1080µg/L	-	-

DNEL/PNEC VALUES

No data available

8.2 EXPOSURE CONTROLS

8.2.1 General

Ensure there is sufficient ventilation of the area

8.2.2 Respiratory Protection

Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter

8.2.3 Hand Protection

Protective gloves

8.2.4 **Eye Protection**Tightly fitting safety goggles. Ensure eye bath is to hand.

8.2.5 Skin Protection

Use appropriate closed long sleeved protective clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

8.2.6

9.1 GENERAL INFORMATION

Appearance Grey powder
Odour Odourless

REVISION: 01



9.2 IMPORTANT HEALTH, SAFETY AND ENVIRONMENTAL INFORMATION

Evaporation Rate Not applicable Oxidising Not applicable **Boiling/Melting point** Not applicable Solubility in water Miscible Also soluble in Not applicable **Viscosity** Not applicable Viscosity test method Not applicable **Flammability Limits** Not applicable **Flash Point** Not applicable **Autoflammability** Not applicable Relative desnity Not applicable VOC Not applicable

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions

Reactivity Stable under recommended transport or storage conditions

10.1 Conditions to avoid Heat

10.2 Materials to avoid Strong oxidising agents. Strong acids
 10.3 Hazardous decomposition In combustion emits toxic fumes

11. TOXICOLOGICAL DATA

Hazardous ingredients: HYDRATED LIME

DERMAL	RBT	LD50	>2500	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

Relevant Hazards for Product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: Calculated
Serious eye damage/irritation	OPT	Hazardous: Calculated
Respiratory/Skin sensitization	-	Hazardous: Calculated
STOT – Single Exposure	INH	Hazardous: Calculated

REVISION: 01



11.1 ACUTE EFFECTS

Eye contact There may be pain and redness. The eyes may water profusely. There

may be severe pain. The vision may become blurred. May cause

permanent damage

Skin contact There may be irritation and redness at the site of contact

Ingestion There may be soreness and redness of the mouth and throat. Nausea

and stomach pain may occur

Inhalation There many be irritation of the throat with a feeling of tightness in the

chest

12. ECOLOGICAL DATA

Hazardous Ingredients - HYDRATED LIME

Freshwater algae	48H EC50	184.57	mg/l
Freshwater algae	72H NOEC	48	mg/l
Freshwater fish	96H LC50	50.6	mg/l
Freshwater invertebrates	48H EC50	49.1	mg/l
Marine water fish	96H LC50	457	mg/l
Marine water invertebrates	14d NOEC	32	mg/l
Marine water invertebrates	96H LC50	158	mg/l
Soil microorganisms	EC10/LC10	2000	mg/l
Soil Microorganisms	EC10/LC10	12000	mg/l
Terrestrial Plants	21d NOEC	1080	mg/l

Persistence and degradability Biodegradable

Bioaccumulative Potential No Bioaccumulation potential

Mobility in soil No data available

Results of PBT and vPvB assessment This product is not identified as a PBT/vPvB

substance

Other adverse effects Negligible ecotoxicity

REVISION: 01



13. DISPOSAL CONSIDERATIONS

Transfer to a suitable container and arrange for collection by specialised disposal company.

N.B The users attention is drawn to the possible existence of regional or national regulations regarding disposal

14. TRANSPORT REGULATIONS

Not classified as hazardous for air, sea or road freight. No special precautions apply, refer to section 8

15. REGLATORY INFORMATION

15.1 CLASSIFICATION

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier

16. OTHER INFORMATION

According to Regulation (EC) No 1907/2006 (REACH) with its amendment Regulation (EU) 2015/83016.1

Phrases used in s.2 and s.3: H315 Causes skin irritation

H317 May cause allergic skin reaction H318 Causes serious eye damage H335 May cause respiratory irritation

H372 Causes damage to organs through prolonged or repeated

exposure

16.3 Further Information

For technical advice contact technical team: Tel: 01484 850098

email: info@structherm.co.uk web: www.structherm.co.uk

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.